

## **Zero-Gravity® Hinged Swing Arm**

The Suspended Radiation Protection System

### **Product Highlights:**

**Orthopedic Protection** 

Zero-Gravity® is designed to take the weight off of

clinicians' bodies and to prevent fatigue

and orthopedic strain, unlike conventional lead aprons.



Zero-Gravity® provides superior operator protection during fluoroscopy compared to conventional lead aprons with undertable shields or ceiling mounted shields.<sup>1, 2, 3</sup>

#### **Flexibility**

The Monorail Hinged Swing Arm can be easily re-positioned for a broad range of procedures and room configurations. Clinicians maintain patient access on both sides of the table.

#### **Ease of Movement**

Zero-Gravity<sup>®</sup> allows clinicians freedom of movement, especially during challenging procedures.

#### Model

Monorail Hinged Swing Arm - ZGCM-HSA

Description	SKU
Zero-Gravity® Drape	ZGD20WA-Loop
Zero-Gravity® Vest, Small	ZGAV-S
Zero-Gravity® Vest, Medium	ZGAV-M
Zero-Gravity® Vest, Large	ZGAV-L

The Vest is also available in sizes XS, XL, 3XL.

- 1 Haussen DC, Van Der Born IMJ, Nogueira RG. J NeuroIntervent Surg 2016; 8:1052-1055.
- 2 Marichal DA, Anwar T, Kirsch D, et al. Comparison of a for radiation exposure of a simulated interventionalist. J Vasc Interv Radiol 2011; 22: 437--42.
- 3 Savage C, Seale IV TM, Shaw CJ et al. (2013) Evaluation of a Suspended Personal Radiation Protection System vs. Conventional Apron and Shields in Clinical Interventional Procedures, Open Journal of Radiology, http://dx.doi.org/10.4236/ojrad.2013.33024.

# Zero-Gravity® Monorail Hinged Swing Arm



General Information	
A) Boom arm length (total 2 booms from the monorail connection point)	240 cm
B) Balancer working length	118 cm
C) Boom arm rotation (for both arms)	360°
D) Ceiling height requirement	Min 274 cm
Total weight	189 kg
Dimension of the wooden packaging (L x W x H)	305 cm x 122 cm x 84 cm
Weight with packaging	500 kg

Radiation Absorption		
Leaded head shield	0.5 mm Pb equivalency	
Leaded shoulder/body shield	1.00 mm Pb equivalency	

Measurements are approximations and subject to change by the manufacturer.

